

INDEX MAPS.

T. 25N, R. 1W. 2nd Mer.

	266		265		265		265		265		264	
268	6	289	5	283	4	279	3	275	2	271	1	264
	289		289		283		279		275		271	
267	7	288	8	283	9	279	10	275	11	271	12	264
	288		288		282		278		274		270	
267	18	287	17	282	16	278	15	274	14	270	13	263
	287		287		282		278		274		270	
267	19	286	20	281	21	277	22	273	23	269	24	263
	286		285		281		277		273		269	
266	30	285	29	281	28	277	27	272	26	269	25	263
	285		284		280		276		272		268	
266	31	284	32	280	33	276	34	272	35	268	36	262
	284		282		280		276		272		268	

T. 26N, R. 1W. 2nd Mer.

	298	297	297	297	296	296						
300	6	321	5	321	4	320	3	308	2	304	1	296
	322	321	321	320	319	319	311	307	304			
300	7	322	8	322	9	311	10	307	11	303	12	295
299	18	17	314	16	310	15	306	14	303	13	295	
299	19	217	20	313	21	310	22	306	23	302	24	295
299	30	315	29	312	28	309	27	305	26	301	25	295
298	31	314	32	311	33	308	34	304	35	301	36	294
	294	294	293	293	293	293	293	293	293	293	293	

Alondra 318, 323

The figures on the lines refer to the page.

261

Township N. 25 North, Range N. 1 West Mer. Ind. a.

Township Lines.

South Boundary. Var. $5^{\circ}45'$ E
West on the S. Boundary of Sec. 36

November 23, 1819

40.00 set of sec. port from which
a S. Oak 36 in. dis. bears N 79° E 40 Ms. dist. 8
an Elm 24 " " " S 68° W 48 " "

50.00 enter swampy Prairie

60.00 passed " "

80.00 set port cor. of sec. 35 & 36 from which
an Elm 24 in. dis. bears N 52° E 31 Ms. dist. 8
a Beech 7 " " " S 51° W 34 " "

Land level & rate, middling good farming
land, part too wet

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which
a Beech 12 in. dis. bears S 76° E 24 Ms. dist. 8
a Do 8 " " " S 49° W 13 " "

80.00 set port cor. of sec. 34 & 35 from which
a W. Beech 6 in. dis. bears N 28° W 35 Ms. dist. 8
a W. Ash 9 " " " S 76° E 33 " "
Land & rate as on the last mile

West on the S. Boundary of Sec. 34

40.00 set of sec. port from which
a Beech 18 in. dis. bears S 72° E 16 Ms. dist. 8
a W. Oak 30 " " " S 60° W 23 " "

80.00 set port cor. of sec. 33 & 34 from which
a Beech 27 in. dis. bears S 7° E 38 Ms. dist. 8
a Do 18 " " " N 63° W 2 " "
Land level & rate, $W\frac{1}{2}$ mile nearly T. rate,
thick Beech, Sugar, Walnut, Ash &c.

West on the S. Boundary of Sec. 33

22.50 a Creek 30 Ms. wide course N

T. 25 N., R. 19 W. 2^d Mer. Ind. a
 Ch. 24th

31.00 a Spring branch 8 Ms. wide corner N
 40.00 lot of sec. part from which
 a W. Oak 30 in. diameter N 72° W 10 Ms. dist. 8
 a Beech 11 " " " N 39° W 7 " " "
 80.00 lot part cor. of sec. 32 & 33 from which
 a Beech 10 in. diameter N 36° W 31 Ms. dist. 8
 a Sugar 24 " " " S 65° E 23 " " "
 Land similar, nearly T. rate, timber Beech,
 Sugar, Oak, Walnut, Gum, Ash &c.

West on the S. Boundary of Sec. 32

40.00 lot of sec. part from which
 a Beech 8 in. diameter S 65° E 22 Ms. dist. 8
 a Sugar 24 " " " N 20° W 17 " " "
 80.00 lot part cor. of sec. 31 & 32 from which
 a Sugar 14 in. diameter N 73° W 18 Ms. dist. 8
 a Beech 12 " " " East 2 " " "
 Land similar, good 2^d rate, timber Oak,
 Beech, Sugar, Ash &c. good for farming

West on the S. Boundary of Sec. 31

40.00 lot of sec. part from which
 a W. Oak 30 in. diameter N 10° E 38 Ms. dist. 8
 a Beech 8 " " " S 53° E 18 " " "
 80.00 lot part for trap. Township corner.
 (Description of land &c. omitted)

Second Principal Meridian
 or East Boundary. Var. 5° 45' E.
 Bearings at cor. of T. 24 & 25 N., R. 19 W

a B. Ash 9 in. diameter S 35° W 58 Ms. dist. 8
 an Elm 14 " " " N 67° W 26 " " "

North on the E. Boundary of Sec. 36

5.00 papered Swamp
 40.00 lot of sec. part from which
 a Hickory 20 in. diameter N 60° W 16 Ms. dist. 8

T. 25 N., R. 1 W. 2. Mer. Ind. a.

Ch. 1. 1st.

a W. Ark 8 in. di. dears S 51 E 16 Ms. dit.

75.00 a Spring branch 6 Ms. wide course NE

80.00 set part en. of sec. 25 & 36 from which

a Beech 11 in. di. dears S 13 W 25 Ms. dit.

a Do 12 " " " S 55 W 29 " "

Land level, rich & good for farming, timber

Beech, Sugar, Walnut, Ark &c.

North on the E. Boundary of Sec. 25

25.00 a Spring branch 5 Ms. wide course NE

40.00 set g. sec. part from which

a W. Ark 14 in. di. dears N 74 E 25 Ms. dit.

a Do 12 " " " S 14 W 37 " "

51.00 a Creek 50 Ms. wide course NW

55.00 same " " NE

65.00 same " " NW

75.00 same " " NE

80.00 set part en. of sec. 24 & 25 from which

a Beech 9 in. di. dears N 68 E 29 Ms. dit.

a Do 27 " " " S 63 W 31 " "

Land L. rate, rich & good for farming.

Creek good for mills

North on the E. Boundary of Sec. 24

7.00 a Creek 100 Ms. wide course W

40.00 set g. sec. part from which

a Beech 10 in. di. dears N 26 W 15 Ms. dit.

a Sugar 24 " " " S 62 E 22 " "

80.00 set part en. of sec. 13 & 24 from which

a Beech 12 in. di. dears N 56 E 17 Ms. dit.

a Do 10 " " " S 56 W 12 " "

Good farming land

North on the E. Boundary of Sec. 13

40.00 set g. sec. part from which

a Sugar 30 in. di. dears S 83 W 10 Ms. dit.

T. 25 N., R. 19 W. 2. Mer. Ind. A.

Ch. 25.

a Sugar 24 in. diameter S 70 E 16 Ms. dist.
 60.00 a Brook 15 lbs. wide corner W
 80.00 tot part cor. of sec. 12 & 13 from which
 a Beech 12 in. diameter S 8 E 22 Ms. dist. &
 a Hickory 13 " " " N 36 E 27 " "
 Land rich & good for farming, timber same
 November 21. 1819

Northern the E. Boundary of Sec. 12

40.00 tot q. sec. part from which
 an Elm 24 in. diameter South 2 Ms. dist. &
 a Do 9 " " " N 24 E 11 " "
 80.00 tot part cor. of sec. 1 & 12 from which
 a Beech 6 in. diameter S 51 W 5 Ms. dist. &
 a S. Oak 24 " " " S 40 E 4 " "
 Land level 2. rate, timber Beech, Sugar
 Spruce, Oak &c. Good farming land

Northern the E. Boundary of Sec. 1

40.00 tot q. sec. part from which
 a ——— 8 in. diameter S 18 E 15 Ms. dist. &
 a W. Ash 9 " " " N 57 E 19 " "
 80.00 tot part cor. of Towns. 25 & 26 N., R. 19 W. from
 which a Beech 18 in. diameter S 10 W 20 Ms. dist. &
 a Do 12 " " " N 29 W 19 " "
 Land similar to that on last mile, part wet.

North Boundary, Var. 5. 45. E.
 West on the S. Boundary of Sec. 36, T. 26 N., R. 19 W.
 November 22. 1819

40.00 tot q. sec. part from which
 a Beech 12 in. diameter South 2 Ms. dist. &
 a W. Beech 6 " " " N 3 E 22 " "
 80.00 tot part cor. of sec. 35 & 36 from which
 a Maple 12 in. diameter N 56 E 26 Ms. dist. &
 a W. Beech 6 " " " S 13 W 16 " "

bancroft

T. 25 N., R. 19 W. 2. Mer. Ind.^a
Ch. 20.

Land 2. rate, middling farming land

West on the S. Boundary of Sec. 35, T26N, R19W

40.00 tot g. sec. part from which

a Poplar 30 in. dia. bears S72E18 Ms. dit. &

a S. Oak 12 " " " S43W121 " "

41.00 a Brook 6 Ms. wide course N9W

80.00 tot part en. of sec. 34 & 35 from which

a Beech 11 in. dia. bears N81E20 Ms. dit. &

a B. Oak 30 " " " S45W62 " "

Land &c. same as on the last mile

West on the S. Boundary of Sec. 34, T26N, R19W

15.00 a Brook 12 Ms. wide course N9W

40.00 tot g. sec. part from which

a Beech 8 in. dia. bears S19E29 Ms. dit. &

a Do 7 " " " N59W12 " "

80.00 tot part en. of sec. 33 & 34 from which

a Beech 11 in. dia. bears N56W14 Ms. dit. &

a Sugar 30 " " " S17E39 " "

Land similar, W 1/2 mile very rich & good
for farming

West on the S. Boundary of Sec. 33, T26N, R19W

39.00 a Creek 50 Ms. wide course S9W

40.00 tot g. sec. part from which

a Buckeye 9 in. dia. bears N25W50 Ms. dit. &

an Elm 20 " " " West 28 " "

45.00 same Creek course N9W

75.00 " " " " S9W

80.00 tot part en. of sec. 32 & 33 from which

a Buckeye 9 in. dia. bears S87E14 Ms. dit. &

a W. Walnut 4 " " " N36W25 " "

Land &c. similar to that on the last mile

West on the S. Boundary of Sec. 32, T26N, R19W

T. 25 N., R. 1 W. 2. Mer. Ind.?

Chs. Lhs.

14.70 same Creek course NW

40.00 let g. sec. post from which

a Sugar 18 in. dia bears S 79 E 24 Ms. dist. 8

a Beech 6 " " " S 35 W 16 " "

80.00 let post cor. of sec. 31 & 32 from which

a Beech 14 in. dia bears S 80 W 21 Ms. dist. 8

a Bl. Ash 9 " " " N 79 E 56 " "

W 1/2 mile rich & good for farming, timber
Beech, Sugar &c.

West on the S. Boundary of Sec. 31, T 26 N, R 1 W

35.00 a Creek 50 Ms. wide course SW

40.00 let g. sec. post from which

a Sycamore 14 in. dia bears S 15 E 18 Ms. dist. 8

a Do 20 " " " N 17 W 67 " "

50.00 same Creek course NW

80.00 let let up. post for Township corner.

Land similar to that on last mile

West Boundary. Var. 5° 50' E

Bearings at cor. of T. 24 & 25 N, R. 1 & 2 W

a W. Ash 12 in. dia bears S 74 E 21 Ms. dist. 8

a B. Ash 27 " " " S 72 W 39 " "

North on the E. Boundary of Sec. 36, T 25 N, R 2 W

1.00 a Brook 5 Ms. wide course NW

40.00 let g. sec. post from which

a Beech 13 in. dia bears N 36 E 22 Ms. dist. 8

a Poplar 20 " " " S 39 E 42 " "

72.50 a Brook 10 Ms. wide course NW

80.00 let post cor. of sec. 25 & 36 from which

a Beech 24 in. dia bears S 38 E 12 Ms. dist. 8

a Sugar 12 " " " N 81 W 35 " "

N 1/2 mile rich & good for farming, S 1/2 part wet

North on the E. Boundary of Sec. 25, T 25 N, R 2 W

40.00 let g. sec. post from which

T. 25 N., R. 19 W. 2^d. Mer. Ind. a.

Ch. L. 1889

a Poplar 60 in. diam bears S 42° W 11 Ms. dist. 8
 a Beech 9 " " " N 40° W 3 " "
 80.00 set part cor. of sec. 24 & 25 from which
 a Beech 12 in. diam bears S 32° W 26 Ms. dist. 8
 a Do 20 " " " N 64° E 41 " "
 Land nearly flat, timber Beech, Sugar, Walnut,
 Elm &c.

North on the E. Boundary of Sec. 24, T. 25 N., R. 2° W

40.00 set g. sec. part from which
 a Buckeye 10 in. diam bears S 48° W 6 Ms. dist. 8
 a Do 14 " " " N 39° E 27 " "
 49.00 a Creek 150 Ms. wide course W
 57.00 a Brook 10 " " " S W
 80.00 set part cor. of sec. 13 & 24 from which
 a W. Walnut 8 in. diam bears S 8° W 5 Ms. dist. 8
 a Do 9 " " " N 18° W 29 " "
 Land &c. the same as on the last mile

North on the E. Boundary of Sec. 13, T. 25 N., R. 2° W

40.00 set g. sec. part from which
 a Cherry 10 in. diam bears N 35° W 2 Ms. dist. 8
 a Do 10 " " " S 52° E 21 " "
 80.00 set part cor. of sec. 12 & 13 from which
 a Sugar 10 in. diam bears S 42° E 23 Ms. dist. 8
 a Hickory 20 " " " N 39° W 38 " "
 Land level part wet & swampy, timber Oak,
 Beech, Spruce, Elm

North on the E. Boundary of Sec. 12, T. 25 N., R. 2° W

40.00 set g. sec. part from which
 a W. Ash 10 in. diam bears N 35° W 15 Ms. dist. 8
 an Elm 10 " " " S 83° E 2 " "
 80.00 set part cor. of sec. 1 & 12 from which
 a Beech 27 in. diam bears S 40° E 6 Ms. dist. 8
 a Do 7 " " " N 40° W 28 " "

T. 25 N., R. 19 W. 2. Mer. Ind. a.

Chs. 2d.

Land similar to that on last mile

North on the E. Boundary of Sec. 1, T. 25 N., R. 2 W.

40.00 ac. of sec. part from which

a Poplar 9 in. diameter N 76 E 7 M. dist. 8

a Do 9 " " " S 22 E 15 " "

79.89 Interest N. Boundary 54 M. E. of temp. Town

corner, set post at intersection cor. of T. 25 & 26

N., R. 1 & 2 W. from which

a Sugar 15 in. diameter S 30 W 25 M. dist. 8

a Beech 12 " " " N 19 E 33 " "

Land very rich & good for farming, timber

Beech, Sugar, Ash, Walnut, Oak &c.

Surveyed in 1819 by

William Harris

Dep. Surveyor

Subdivision. Var. 5.° 45. E.

North between Sec. 35 & 36, T. 25 N., R. 1 W.

12.45 a B. Oak 30 in. dia.

43.00 ac. of sec. part from which

a Beech 16 in. diameter S 83 W 19 M. dist. 8

a W. Oak 30 " " " S 17 E 16 " "

49.39 ac. Ash 24 " "

80.00 set post cor. of Sec. 25, 26, 35 & 36 from which

a W. Oak 24 in. diameter N 35 W 18 M. dist. 8

a Hickory 15 " " " S 51 E 22 " "

Land level 2^d rate, timber Beech, Oak, Ash,

Hickory &c. Upr. Spice

East on Random between Sec. 25 & 36

40.00 ac. temp. of sec. part

79.84 Interest E. Boundary 20 M. N. of post -

Land level, timber Beech, Oak &c. Upr. Spice &c.

West Cornered between Sec. 25 & 36

T. 25 N., R. 1 W. 2. Mer. Ind.^a

Ech. Sec.

39.92 tot g. sec. port at aver. dist. from which
 a Sycamore 8 in. diam bears S 72 E 31 1/2 m. dist. S
 a Beech 10 " " " N 48 W 46 " "

79.84 to sec. cor.

North between Sec. 25 & 26

29.23 an Ash 12 in. dia.

40.00 tot g. sec. port from which
 an Elm 10 in. diam bears N 57 W 13 1/2 m. dist. S
 a Beech 24 " " " N 32 E 24 " "

53.34 a Do 26 " "

80.00 tot port cor. of sec. 23, 24, 25 & 26 from which
 a Beech 30 in. diam bears S 24 E 43 1/2 m. dist. S
 a Sugar 36 " " " N 48 W 37 " "
 Land T. 1/2 mile swampy, 2 1/2 mile good
 farming land, timber Beech, Sugar, Oak &
 Upr. Spice

East on Random between Sec. 24 & 25

40.00 tot temp. g. sec. port

80.00 Interest E. Boundary 22 m. N. of port -
 Land level 2. rate, timber Beech, Oak, Walnut &
 Upr. Spice

West Corner between Sec. 24 & 25

40.00 tot g. sec. port at aver. dist. from which
 a W. Oak 14 in. diam bears S 38 E 44 m. dist. S
 a Beech 9 " " " N 58 W 22 " "

80.00 to sec. cor. Friday July 27, 1821

North between Sec. 23 & 24

10.43 a Stream 150 m. wide cross W.

21.22 an Elm 15 in. dia.

40.00 tot g. sec. port from which
 an Ash 24 in. diam bears S 25 E 17 1/2 m. dist. S
 a Beech 12 " " " N 41 W 29 " "

T. 25 N., R. 19 W. 2. Mer. Ind. a

Chas. Sh.?

51.34 an Elm 30 in. dia.

68.16 a Beech 24 " "

80.00 tot port cor. of sec. 23, 24, ~~23 & 24~~ from which
a Beech 12 in. dia. bears S 85 E 47 lbs. dist. 18

a Do 18 " " " N 68 W 6 " "

First 1/2 mile bottom, 2 1/2 mile 2^d rate land,
timber Beech, Sugar, Ash, Poplar & Spice

East in Random between Sec. 13 & 24

110.00 tot temp. q. sec. port

80.00 Intersect E. Boundary 16 lbs. N. of port -
Land level 2^d rate, timber Beech, W. Oak,
Sugar & Upr. Spice

West Corrected between Sec. 13 & 24

40.00 tot q. sec. port at aver. dist. from which
an Ash 12 in. dia. bears N 27 W 6 lbs. dist. 18
a Do 12 " " " S 40 E 12 " "

50.00 tot port cor.

North between Sec. 13 & 14

27.99 a Br. Oak 24 in. dia.

33.89 a Stream 24 lbs. wide course S W

40.00 tot q. sec. port from which
a Beech 30 in. dia. bears N 56 W 30 lbs. dist. 18
a Buckeye 15 " " " S 56 E 37 " "

45.17 a Sugar 30 " "

59.24 a W. Oak 30 " "

80.00 tot port cor. of sec. 11, 12, 13 & 14 from which
an Elm 30 in. dia. bears N 60 W 52 lbs. dist. 18
a Beech 15 " " " S 87 E 2 " "
Land 2^d rate, timber Beech, Walnut, W. Oak &
Upr. Spice

East in Random between Sec. 12 & 13

40.00 tot temp. q. sec. port

T. 25 N., R. 1 W. E. Mer. Ind^a.

Chs. Sh.

80.16 Intersect E. Boundary 12 Ms. N. of post -
Land level 2 rate, timber Beech, Oak & Upr. Spruce

West Corrected between Sec. 12 & 13

40.08 set g. sec. post at aver. dist. from which
a Beech 30 in. dia bears N 5 E 33 Ms. dist. 8
a Do 12 " " " S 66 W 7 " "

80.16 to sec. cor. Saturday July 28. 1821

North between Sec. 11 & 12

8.42 a Poplar 36 in. dia.

38.66 a Do 50 " "

40.00 set g. sec. post from which
an Ash 20 in. dia bears S 58 E 12 Ms. dist. 8
an Elm 30 " " " N 69 W 22 " "

54.85 a W. Oak 20 " "

80.00 set post en. of sec. 1, 2, 11 & 12 from which
a B. Oak 12 in. dia bears N 73 W 3 Ms. dist. 8
an Ash 15 " " " S 45 E 27 " "
Land level 2 rate, timber Beech, Ash, Oak
& Upr. Spruce

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

80.08 Intersect E. Boundary 16 Ms. N. of post -
Land level, timber Beech, Oak, Sugar, Ash &
Upr. Spruce &c.

West Corrected between Sec. 1 & 12

40.04 set g. sec. post at aver. dist. from which
a Beech 20 in. dia bears S 67 W 9 Ms. dist. 8
a Do 12 " " " N 52 E 37 " "

80.08 to sec. cor.

North between Sec. 1 & 2

17.44 a W. Oak 24 in. dia.

T. 25 N., R. 1 W. 2. Mer. Ind.^a

Elev. Sta.

40.00 tot g. sec. post from which
an Elm 10 in. diam. S 56 E 10 W. dist. 8
a Do 10 " " " N 81 W 26 " "

54.00 a Beech 20 " "

79.80 Intersect N. Boundary at post -

Level wet brushy land, timber Beech, Oak
Upr. July 29. 1821

North between Sec. 34 & 35

5.14 an Ash 20 in. dia.

40.00 tot g. sec. post from which
an Ash 16 in. diam. N 77 E 37 W. dist. 8
a Beech 10 " " " S 85 W 36 " "

56.03 a Hickory 12 " "

65.44 a Beech 20 " "

80.00 tot post cn. of sec. 26, 27, 34 & 35 from which
a Beech 12 in. diam. N 26 W 8 W. dist. 8
a Do 15 " " " S 60 E 16 " "

Level State land, timber Beech, Oak, Ash Upr.
Upr. Spice Upr.

East on Random between Sec. 26 & 35

40.00 tot temp. g. sec. post

79.92 Intersect N. & S. line 20 W. N. of post -

Level wet land, timber Beech, Oak, Hickory
Upr. Spice Upr.

West Connected between Sec. 26 & 35

39.96 tot g. sec. post at aver. dist. from which
a Hickory 10 in. diam. S 62 W 35 W. dist. 8
a Do 10 " " " N 85 E 2 " "

79.92 to sec. cn.

North between Sec. 26 & 27

5.17 a Sugar 18 in. dia.

27.02 a Hickory 24 " "

T. 25 N., R. 19 W. 2. Mer. Ind. a

Chas. L. H. a

40.00 set of g. sec. part from which
 a Maple 24 in. diameter S 42° W 20 Ms. dist. 8
 a Lyeum 30 " " " N 29° E 56 " "

53.70 a Beech 12 " "

68.98 a Do 24 " "

80.00 set part cor. of sec. 22, 23, 26 & 27 from which
 a Beech 12 in. diameter N 64° W 56 Ms. dist. 8
 a Do 14 " " " S 21° E 36 " "
 Land level 2. rate, timber Walnut, Ash, Beech,
 v. Upr. Spice &c.

East on Random between Sec. 23 & 26

21.00 a Stream 16 Ms. wide course N

40.00 set temp. g. sec. part

76.75 a Spring branch 8 Ms. wide course N 9° W

80.00 Intersect N & S line 17 Ms. N. of part -
 Land 1. rate, timber Walnut, Sugar, Ash &c.
 Upr. Spice &c.

West Corrected between Sec. 23 & 26

40.00 set of g. sec. part at aver. dist. from which
 a Beech 24 in. diameter S 12° E 19 Ms. dist. 8
 a Do 30 " " " N 11° W 83 " "

80.00 to sec. cor. July 30, 1821

North between Sec. 22 & 23

4.00 a Beech 24 in. dia.

16.27 a Stream 17 1/3 Ms. wide course S 4° W

18.74 a W. Oak 30 in. dia.

40.00 set of g. sec. part from which
 a Beech 20 in. diameter N 34° W 33 Ms. dist. 8
 a Do 10 " " " S 12° E 50 " "

41.17 a Do 20 " "

64.98 a Do 20 " "

80.00 set part cor. of sec. 14, 15, 22 & 23 from which
 a Beech 16 in diameter S 77° W 11 Ms. dist. 8

T. 25 N., R. 1 W. 2. Sec. Ind^a.Ch^a. 2^d.

a Beech 10 in. diam. bears N 74 E 20 Ms. dist.
 Land 1st 1/2 mile rolling T. rate - 2 1/2 mile level
 T. rate, timber Beech, Walnut, Oak &
 Upr. Spruce

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post

79.90 Intersect N & S line 10 Ms. E. of post -

Land level T. rate, timber Beech, Walnut, Ash,
 Sugar & Upr. Spruce &

West Connected between Sec. 14 & 23

39.95 set g. sec. post at aver. dist. from which

a Beech 26 in. diam. bears N 16 E 33 Ms. dist. &

a Do 12 " " " S 22 W 38 " "

79.90 to Sec. cor. July 30. 1821

North between Sec. 14 & 15

6.00 a Sugar 30 in. dia.

17.09 a Station 42 Ms. wide corner S W

28.80 a Beech 30 in. dia.

40.00 set g. sec. post from which

a Walnut 30 in. diam. bears S 50 W 40 Ms. dist. &

a Buckeye 18 " " " N 70 E 10 " "

54.50 an Elm 36 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 30 in. diam. bears N 82 E 10 Ms. dist. &

a Do 10 " " " S 67 W 29 " "

Land level T. rate, timber Sugar, Walnut,
 Beech, Ash & Upr. Spruce &

East on Random between Sec. 14 & 14

40.00 set temp. g. sec. post

80.00 Intersect N & S line 10 Ms. N. of post -

Land level, timber Beech, Ash, Oak & Spruce &

T. 25 N., R. 1 W. 2. Mer. Ind.^a
 Chs. 20.

West Connected between Sec. 10 & 14

40.00 sit g. sec. post at aver. dist. from which
 an Ash 8 in. dia bears S 35° E 11 Ms. dist. S
 an Elm 20 " " " N 78° W 19 " "

80.00 to sec. cor.

North between Sec. 10 & 11

12.70 a Poplar 30 in. dia.

35.98 a Beech 26 " "

40.00 sit g. sec. post from which
 a Beech 18 in. dia bears S 40° E 10 Ms. dist. S
 an Ash 12 " " " N 71° W 19 " "

47.07 a Dr 15 " "

58.94 a B. Oak 30 " "

80.00 sit post cor. of sec. 2, 3, 10 & 11 from which
 a Poplar 30 in. dia bears N 57° E 40 Ms. dist. S
 an Elm 30 " " " S 41° W 11 " "
 Sand level 2 rods, timber Beech, Oak, Ash &
 Wg. Spruce

East on Random between Sec. 2 & 11

37.50 enter a wet Prairie

40.00 sit temp. g. sec. post

63.50 leave Prairie to timbered land

80.00. Intersect N & S. line 18 Ms. N. of post -
 Sand 1 1/2 miles swampy level 2 rods, timber
 Beech, B. Oak, Ash &

West Connected between Sec. 2 & 11

40.00 sit g. sec. post at aver. dist. from which
 a W. Oak 15 in. dia bears S 85° W 175 Ms. dist.
 (no other bearing tree)

80.00 to sec. cor.

North between Sec. 2 & 3

6.84 a B. Oak 36 in. dia.

T. 25 N., R. 1 W. 2. Mer. Ind.?

Chs. Chs.

40.00 set of sec. post from which
an Ash 36 in. diameter N 31 W 26 W. dist 28
a Cherry 10 " " " S 63 E 37 " "

63.00 a Beech 14 " "

72.58 a Do 24 " "

79.86 Intersect N. Boundary 20 W. W. of post -
set post at intersection cor. of sec. 2 & 3 from which
a B. Oak 36 in. diameter S 65 W 39 W. dist 28
a Beech 14 " " " N 88 E 43 " "
This mile level State. Open wood.
July 31, 1821

North between Sec. 33 & 34

19.15 a Stream 15 W. wide course S W

22.04 a W. Oak 15 in. dia.

30.87 a Poplar 36 " "

40.00 set of sec. post from which
a Beech 14 in. diameter S 36 E 13 W. dist 28
an Ash 15 " " " N 57 W 3 " "

42.57 a Hickory 36 " "

62.39 a Do 18 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which
a Beech 14 in. diameter N 32 E 5 W. dist 28
a Sugar 26 " " " S 71 W 35 " "
Land level State, timber Beech, Walnut,
Poplar & Upr. Spice

East on Random between Sec. 27 & 34

40.00 set temp. of sec. post

80.00 Intersect N & S. line at post -

Level wet land, timber Beech, Oak, Hickory,
& Upr. Spice

West Corrected between Sec. 27 & 34

40.00 set of sec. post at aver. dist. from which
a Sugar 16 in. diameter N 50 W 36 W. dist 28

T. 25 N., R. 19 W. 2. Mer. Ind. a.

Ch. 26

a Beech 10 in. dia. bears S 61 E 30 W. dist.

80.00 to sec. cor.

North between Sec. 27 & 28

12.40 a Hickory 30 in. dia.

40.00 tot. g. sec. part from which

an Elm 14 in. dia. bears N 46 W 15 W. dist. 8

a B. Oak 18 " " " S 87 E 7 " "

51.90 a Dr 30 " "

62.73 an Ash 30 " "

80.00 set part cor. of sec. 21, 22, 27 & 28 from which

a Beech 24 in. dia. bears S 70 W 13 W. dist. 8

a Dr 12 " " " N 88 E 33 " "

Land level, 1st 1/2 mile wet, 2 1/2 mile dry 1st rate, timber Sugar, Beech, Ash & Wye. Spice

East in Random between Sec. 22 & 27

40.00 tot temp. g. sec. part

80.16 Intersect N. S. line 17 W. N. of part -

Land level, timber Beech, Ash, Oak & Wye. Spice

West Connected between Sec. 22 & 27

40.08 tot g. sec. part at aver. dist. from which

a Poplar 16 in. dia. bears N 33 W 10 W. dist. 8

a Beech 15 " " " S 79 W 33 " "

80.16 to sec. cor.

North between Sec. 21 & 22

7.16 an Elm 30 in. dia.

32.72 a Beech 30 " "

40.00 tot g. sec. part from which

a W. Oak 16 in. dia. bears N 78 E 32 W. dist. 8

an Ash 10 " " " S 88 W 17 " "

46.34 a Stream 150 W. wide course N. 7 E. 50 W.

in the center of the Creek, thence N E

58.00 same stream 170 W. wide course S 45 W

59.84 a Sugar 30 in. dia.

T. 25 N., R. 1 W. 2. Mer. Ind. a

84.214

80.00 set port cor. of sec. 15, 16, 21 & 22 from which
a Beech 24 in. diameter N 54 E 28 W. dist. 8
a Sugar 30 " " " S 23 W 27 " "
Land T. $\frac{1}{2}$ mile level 2nd rate, 2 $\frac{1}{2}$ mile
broken, timber Beech, Sugar, Ash &c.

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. port

80.16 Intersect N & S. line at port—

Land level, timber Beech, Ash &c. Upr. Spruce &c.

West Corrected between Sec. 15 & 22

40.08 set g. sec. port at aver. dist. from which
a Buckeye 8 in. diameter S 86 W 8 W. dist. 8
a Sugar 24 " " " N 48 E 41 " "

80.16 to sec. cor. August 1. 1821

North between Sec. 15 & 16

9.10 a Sugar 20 in. dia.

14.61 a Stream 50 W. wide course S W

40.00 set g. sec. port from which
a Beech 30 in. diameter N 88 W 17 W. dist. 8
a Cherry 12 " " " N 54 E 12 " "

44.31 a W. Oak 36 " "

70.90 a Do 36 " "

80.00 set port cor. of sec. 9, 10, 15 & 16 from which
a Sugar 18 in. diameter S 68 W 27 W. dist. 8
a Beech 10 " " " N 62 E 17 " "
Land T. $\frac{1}{2}$ mile T. rate, 2 $\frac{1}{2}$ mile—rate,
timber Walnut, Elm, Oak &c. Upr. Spruce &c.
level land

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. port

80.06 Intersect N & S. line 14 W. S. of port—

Land level, timber Beech, Oak, Poplar &c.

T. 25 N., R. 1 W. 2. Mer. Ind. a

Chs. Chs.

Uly. Spruce &

West connected between Sec. 10 & 15

40.03 set q. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears S 70° W 27 M. dist. 8
 a Spr 12 " " " N 43° E 10 " "

80.06 to sec. cn.

North between Sec. 9 & 10

7.77 a W. Oak 36 in. dia.

21.81 an Elm 30 " "

40.00 set q. sec. post from which

a Hickory 20 in. dia. bears S 5° E 1 M. dist. 8
 an Ash 10 " " " N 41° W 28 " "

48.55 a Spruce 20 " "

80.00 set post cn. of sec. 3, 4, 9 & 10 from which

an Elm 26 in. dia. bears S 27° E 13 M. dist. 8
 an Ash 24 " " " N 16° W 44 " "

Land wet & swampy, timber Elm, Ash, Oak
 & Uly. Spruce &

East in Random between Sec. 3 & 10.

40.00 set temp. q. sec. post

79.90 Intersect N. S. line 18 M. E. of post -

Land level & wet, timber Oak, Ash, Buckeye &
 Uly. Spruce &

West connected between Sec. 3 & 10

39.95 set q. sec. post at aver. dist. from which
 an Ash 12 in. dia. bears S 35° E 21 M. dist. 8
 a Spr 10 " " " N 25° W 10 " "

79.90 to sec. cn.

North between Sec. 3 & 4

9.24 a W. Oak 40 in. dia.

40.00 set q. sec. post from which

T. 25 N., R. 1 W. 2. Mer. Ind. a

Chas. L. W.

an Ark 24 in. diameter S 67 E 27 Ms. dist 8
 a W. Oak 10 " " " N 42 W 20 " "
 40.75 an Ark 20 " "
 62.01 a Do 18 " "
 80.00 Intersect N. Boundary 40 Ms. E. of post -
 set post at intersection cor. of sec. 3 & 4 from which
 a Beech 26 in. diameter S 7 E 24 Ms. dist 8
 a Do 20 " " " N 28 W 27 " "
 Land level 2 rods, timber Beech, Oak, Ash &
 Upr. Spruce August 2, 1821

North between Sec. 32 & 33

19.14 a Beech 12 in. dia.
 28.45 a Sugar 36 " "
 40.00 set g. sec. post from which
 a Buckeye 10 in. diameter S 34 W 10 Ms. dist 8
 a Walnut 36 " " " N 50 W 10 " "
 45.95 a Stream 90 Ms. wide across NW
 52.67 a Beech 15 in. dia.
 62.02 an Elm 30 " "
 80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Hickory 24 in. diameter N 35 W 35 Ms. dist 8
 a Beech 14 " " " S 48 E 37 " "
 Land level 2 rods, timber Walnut, Beech, Oak,
 & Upr. Spruce.

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post
 80.15 Intersect N. & S. line 15 Ms. N. of post -
 Land level, timber Beech, Oak, Ash & Upr. Spruce

West Corrected between Sec. 28 & 33

40.07 1/2 set g. sec. post at aver. dist. from which
 a Beech 26 in. diameter N 40 E 29 Ms. dist 8
 a Do 12 " " " S 73 W 35 " "
 80.15 to sec. cor.

T. 25 N., R. 17 W. 2. Mer. Ind. a

Chas. L. H.

North between Sect. 28 & 29

5.60 a Poplar 30 in. dia.

40.00 set g. sec. post from which

a W. Oak 24 in. dia. bears S 23 E 34 M. dist. 8

an Elm 12 " " " N 28 W 25 " "

51.65 a Walnut 30 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

an Elm 20 in. dia. bears S 38 W 29 M. dist. 8

a Do 16 " " " N 39 E 52 " "

Land swampy wet, timber Beech, Oak & Ypr.
Spice &c

East in Random between Sect. 21 & 28

40.00 set temp. g. sec. post

80.14 Intersect N & S line 23 M. S. of post—

Land level wet, timber Beech, W. Oak, Hickory
& Ypr. Spice &c

West Connected between Sect. 21 & 28

40.07 set g. sec. post at aver. dist. from which

a Beech 15 in. dia. bears N 53 E 6 M. dist. 8

a Do 12 " " " S 15 W 20 " "

80.14 to sec. cor.

North between Sect. 20 & 21

12.33 a Sugar 30 in. dia.

37.04 a Do 30 " "

40.00 set g. sec. post from which

an Ash 15 in. dia. bears N 37 E 29 M. dist. 8

a Beech 18 " " " S 38 W 25 " "

58.50 a Stream (N. 6 Ch. 50 ft. in the center of the creek)
1.50 ft. wide course S W

72.39 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Red Haw 10 in. dia. bears S 75 W 13 M. dist. 8

a Coffeenut 16 " " " N 33 E 26 " "

T. 25 N., R. 1 W. 2. Mer. Ind.?

Elev. 282

Land 7. $\frac{1}{2}$ mile level 2. rate, 2 $\frac{1}{2}$ mile hilly &
broken, timber Sugar, Beech, Poplar &
Upr. Spice &

East on Random between Sec. 16 & 21

5.76 a Stream 250 Yds. wide course N

40.00 set trap. g. sec. post

61.84 a Stream 50 Yds. wide course S W

80.10 Intersect N. S. line 30 Yds. S. of post -

First $\frac{1}{2}$ mile Bottom land, 2. $\frac{1}{2}$ mile rolling
Thato, timber Walnut, Buckeye & Upr.
Pichly Ark &

West Corrected between Sec. 16 & 21

40.05 set g. sec. post at area. dist. from which

a Buckeye 20 in. diameter S 37 E 40 Yds. dist. &

a Sugar 18 " " " N 71 W 30 " "

80.10 to sec. cr. August 3, 1821

North between Sec. 16 & 17

3.00 a Stream 150 Yds. wide course S 60 W

16.76 an Elm 18 in. dia.

40.00 set g. sec. post from which

an Ark 24 in. diameter S 79 W 2 Yds. dist. &

a Beech 12 " " " S 80 E 22 " "

80.00 set post cr. of sec. 8, 9, 16 & 17 from which

a Hickory 14 in. diameter N 63 W 14 Yds. dist. &

a Beech 20 " " " S 75 E 62 " "

Land level, 1. $\frac{1}{2}$ mile Thato, 2 $\frac{1}{2}$ mile 2. rate,
timber Gum, Walnut, Hickory, Beech &
Upr. Spice

East on Random between Sec. 9 & 16

40.00 set trap. g. sec. post

79.80 Intersect N. S. line 17 Yds. S. of post -

Land level 2. rate, timber Beech, Oak, Ark &

T. 25 N., R. 1 W. 2^d. Mer. Ind.^a
Chs. Shs.

Upr. Spruce &c

West Connected between Sec. 9 & 16

39.90 set of sec. post at aver. dist. from which
an Ash 24 in. diam. S 20 E 38 ft. dist. 8
a Hickory 20 " " " N 23 W 43 " "

79.80 to sec. cn.

North between Sec. 8 & 9

10.02 a Beech 24 in. dia.

24.03 an Elm 24 " "

40.00 set of sec. post from which

a B. Oak 24 in. diam. S 48 W 11 ft. dist. 8
an Ash 20 " " " N 21 E 34 " "

48.57 a B. Oak 15 " "

73.79 an Ash 30 " "

80.00 set post cn. of sec. 4, 5, 8 & 9 from which

an Ash 20 in. diam. S 60 E 34 ft. dist. 8

an Elm 18 " " " N 67 W 40 " "

Land level wet, timber Beech, Hickory, Ash
&c. Upr. Spruce &c.

East on Random between Sec. 4 & 9

40.00 set temp. of sec. post

79.86 intersect N. S. line at post—

Land swampy, timber Ash, Elm, Span. Oak
&c. brushy &c.

West Connected between Sec. 4 & 9

39.93 set of sec. post at aver. dist. from which

an Elm 10 in. diam. S 27 W 12 ft. dist. 8

a Do 8 " " " N 27 E 12 " "

79.86 to sec. cn.

North between Sec. 4 & 5

4.08 a Beech 10 in. dia.

T. 25 N., R. 1 W. 2. Mer. Ind. a

Ch. 1st.

17.07 an Ash 30 in. dia.

40.00 sit of gr. sec. post from which

a Hickory 20 in. dia. bears S 15 W 10 Ms. dist 8

a Do 14 " " " N 42 E 27 " "

44.21 a B. Oak 30 " "

77.56 a Stream 70 Ms. wide comes S W

80.40 Intersection N & S. line 70 Ms. E. of post -

det post at intersection cr. of sec. 4 & 5 from which

a Bl. Ash 24 in. dia. bears S 19 E 22 Ms. dist 8

a Spr. Ash 15 " " " N 33 W 21 " "

Land level 2. rate, timber Beech, Oak, Ash &c.

Open wood August 4. 1821

North between Sec. 31 & 32

5.66 a Sugar 20 in. dia.

40.00 sit of gr. sec. post from which

a Beech 14 in. dia. bears S 25 W 27 Ms. dist 8

a Lym 12 " " " N 17 E 36 " "

65.36 an Ash 16 " "

75.00 a Spring branch comes N E

80.00 det post cr. of sec. 29, 30, 31 & 32 from which

a Beech 20 in. dia. bears S 28 W 51 Ms. dist 8

a Sugar 30 " " " N 40 E 50 " "

Land level 2. rate, timber Sugar, Beech, Oak,
&c. Upr. Spruce &c.

East on Random between Sec. 29 & 32

8.00 a Brook 8 Ms. wide comes N W

19.11 a Stream 70 " " " N W

22.00 a Do 70 " " " S

28.60 a Do 200 " " " N E

40.00 sit temp. gr. sec. post

80.00 Intersection N & S. line 24 Ms. N. of post -

Land 1st 1/2 mile T. rate, 2nd 1/2 mile swampy,

timber Beech, Poplar, Oak &c. Upr. Spruce &c.

T. 25 N., R. 1 W., S. 2. Me. Ind. a

Chs. Cks.

West Connected between Sec. 29 & 32

40.00 at g. sec. post at aver. dist. from which
 a Sugar 24 in. dia. leans S 46 W 33 lbs. dist. 8
 a Do 10 " " " N 53 E 33 " "

80.00 to sec. cor.

West between Sec. 30 & 31

7.12 a Beech 15 in. dia.

34.82 a Do 24 " "

40.00 at g. sec. post from which

a Beech 10 in. dia. leans S 52 W 38 lbs. dist. 8
 a Do 14 " " " N 59 E 6 " "

57.10 a Do 20 " "

81.17 Intersect NW Boundary 20 lbs. S. of post -

at post at intersection cor. of Sec. 30 & 31 from which
 a Beech 30 in. dia. leans N 35 E 11 lbs. dist. 8

a Hickory 10 " " " S 37 W 14 " "

Landlord Deeds, timber Beech, Sugar, W. Oak,
 Upr. Spruce &c.

North between Sec. 29 & 30

11.60 a Stream 60 lbs. wide course N W

19.00 a Walnut 30 in. dia.

40.00 at g. sec. post from which

a W. Walnut 24 in. dia. leans S 75 E 24 lbs. dist. 8

a Sugar 15 " " " N 60 W 22 " "

53.37 a Beech 24 " "

69.48 a W. Oak 36 " "

80.00 at post cor. of Sec. 19, 20, 29 & 30 from which

a Beech 36 in. dia. leans S 69 W 28 lbs. dist. 8

a Do 24 " " " N 40 E 27 " "

Land T. Deeds, timber Walnut, Sugar, Beech &c.

Upr. Spruce August 5, 1821

East on Random between Sec. 20 & 29

40.00 at temp. g. sec. post

T. 25 N., R. 1 W. S. Mer. Ind. a

Chs. 1st.

80.00 Intersect N & S line 30 Ms. N. of post -
 Sand level 2. rate, timber Sugar, Walnut,
 Beech & Upr. Spruce

West Corrected between Sec. 20 & 29

40.00 tot of sec. part at area. dist. from which
 a Beech 18 in. dia. bears N 27 W 24 Ms. dist. 8
 a Hickory 12 " " " S 36 E 26 " "

80.00 to sec. cor.

West between Sec. 19 & 30

8.80 a Sugar 24 in. dia.

26.97 a Stream 86 Ms. wide course NW

40.00 tot of sec. part from which
 a Hackberry 24 in. dia. bears S 45 W 31 Ms. dist. 8
 a Beech 15 " " " N 55 E 21 " "

48.20 a Do 24 " "

81.47 Intersect N. Boundary 50 Ms. S. of post -

tot part at intersection cor. of sec. 19 & 30 from which

a Sugar 24 in. dia. bears S 30 E 29 Ms. dist. 8

a Beech 15 " " " N 23 W 28 " "

Sand level 1. rate, timber Walnut, Sugar,
 Beech & Upr. Spruce.

North between Sec. 19 & 20

11.67 a Beech 26 in. dia.

25.30 a Sugar 36 " "

40.00 tot of sec. part from which

a Sugar 15 in. dia. bears S 86 E 19 Ms. dist. 8

a Beech 10 " " " N 34 W 16 " "

43.70 a Walnut 48 " "

57.00 a Stream 130 Ms. wide course W

73.39 a Poplar 36 in. dia.

80.00 tot part cor. of sec. 17, 18, 19 & 20 from which

a Buckeye 20 in. dia. bears N 35 E 28 Ms. dist. 8

a Beech 24 " " " S 36 W 40 " "

T. 25 N., R. 1 W. 2. Sec. 17 & 20.

Ch. 1st.

Land level (except the bluff at the creek) good
 2. rate, timber Beech, Walnut, Sugar, Oak &
 Upr. Spice &.

East on Random between Sec. 17 & 20

21.50 a Spring branch course S

40.00 tot tramp. gr. sec. port

55.00 a Brook 8 lbs. wide course S

74.37 a Stream 150 lbs. wide course S W

80.20 Intersect N. Line 27 lbs. N. of port -

Land 1st 1/2 mile level 1. rate, 2nd 1/2 mile hilly
 rich, timber Walnut, Sugar & Spice &.

West Corrected between Sec. 17 & 20

40.10 tot gr. sec. port at aver. dirt from which
 an Elm 14 in. dia bears N 58 E 29 lbs. dirt &

a Do 8 " " " S 39 W 33 " "

80.20 to sec. cor.

West between Sec. 18 & 19

12.19 a B. Oak 30 in. dia.

21.50 a Beech 30 " "

40.00 tot gr. sec. port from which

a Beech 30 in. dia bears N 50 W 21 lbs. dirt &

a Hackberry 15 " " " S 28 E 36 " "

46.24 a Beech 24 " "

80.50 Intersect W. Boundary 14 lbs. S. of port -

tot port at intersection cor. of sec. 18 & 19 from which

a Walnut 8 in. dia bears N 19 W 9 lbs. dirt &

a Buckeye 8 " " " S 42 E 10 " "

Land 1st rate, timber Sugar, Walnut, Ash &
 Upr. Spice & pawpaw August 6. 1821

North between Sec. 17 & 18

22.72 a Beech 24 in. dia.

40.00 tot gr. sec. port from which

T. 25 N., R. 1 W., T. 2 Mer. Ind. a

Elev. 240

a Beech 18 in. diameter S 32 W 37 Ms. dist. 8

a Spr 10 " " " N 15 E 31 " "

48.57 a Spr 20 " "

80.00 cut part cor. of sec. 7 & 8, 17 & 18 from which

a Hickory 10 in. diameter N 74 E 8 Ms. dist. 8

an Ironwood 8 " " " S 74 W 10 " "

Land level T. rate, timber Sugar, Walnut, Beech
vs. Upr. Spruce &c.

East on Random between Sec. 8 & 17

40.00 cut temp. g. sec. part

80.20 Intersect N. S. line 27 Ms. N. of port -

Level wet land, timber Beech, Oak & Spruce &c.

West Connected between Sec. 8 & 17

40.10 cut g. sec. part at aver. dist. from which

a Beech 10 in. diameter S 74 E 10 Ms. dist. 8

an Ironw. 8 " " " N 20 W 15 " "

80.20 to sec. cor.

West between Sec. 7 & 8

6.02 a Sugar 24 in. dia.

40.00 cut g. sec. part from which

a Spr 24 in. diameter N 14 W 25 Ms. dist. 8

a Beech 20 " " " S 74 W 27 " "

60.44 a Sugar 24 " "

80.52 Intersect W. Boundary at port -

Land T. rate, timber Walnut, Beech, Sugar
Ash & Upr. Spruce &c.

North between Sec. 7 & 8

14.51 a Beech 16 in. dia.

37.50 an Elm 24 " "

40.00 cut g. sec. part from which

a Beech 12 in. diameter S 40 E 25 Ms. dist. 8

a Sugar 6 " " " N 89 W 20 " "

T. 25 N., R. 1 W. 2. Mer. Ind. a.
Chr. Pk.

46.19 an Elm 24 in. dia.

55.98 a Beech 24 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which
a Beech 18 in. dia. bears S 84° W 21 Ms. dist. 8
a Do 18 " " " N 81° E 31 " "
Land S. rate, timber Beech, Ash, Sugar &
Upr. Spice &. August 7. 1821

East in Random between Sec. 5 & 8

40.00 set temp. g. sec. post

80.00 Interest N. S. line 21 Ms. N. of post -
Land level S. rate, timber Beech, Sugar,
Oak & Upr. Spice &.

West Connected between Sec. 5 & 8

40.00 set g. sec. post at aver. dist. from which
a Beech 15 in. dia. bears N 45° E 23 Ms. dist. 8
a Do 10 " " " S 62° W 61 " "

80.00 to sec. cor.

West between Sec. 6 & 7

4.84 a Beech 24 in. dia.

40.00 set g. sec. post from which
a Beech 18 in. dia. bears S 89° W 3 Ms. dist. 8
a Do 12 " " " N 19° E 21 " "

54.87 a W. Oak 24 " "

80.00 Interest W. Boundary, 50 Ms. N. of post -
set post at intersection cor. of sec. 6 & 7 from which
a Beech 12 in. dia. bears S 9° E 7 Ms. dist. 8
a Do 12 " " " N 12° W 19 " "
Level wet land, timber Beech, Oak & Upr. Spice &.

North between Sec. 5 & 6

3.84 a W. Oak 36 in. dia.

17.24 a Beech 24 " "

40.00 set g. sec. post from which

T. 25 N., R. 1 W. E. Mer. Ind.^a

Ch. E. & Co.

a B. Oak 36 in. diameter S 20 E 21 Mo. dist. 8

a Sugar 9 " " " N 11 W 14 " "

79.70 Intersection N. Boundary 60 Mo. E. of post -

set post at intersection Cn. of sec. 5 & 6 from which

a Buckeye 10 in. diameter S 51 E 32 Mo. dist. 8

a Beech 14 " " " N 53 W 10 " "

First 1/2 mile level wet land, 2 1/2 mile
rolling 2^d rate, timber Beech, Oak, Ash &c.

Upr. Spruce &c. August 8. 1821

Surveyed by Henry Bryan
Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.^o
25 North, in Range N.^o 1 West of the P. Prin-
cipal Meridian, in the State of Indiana,
has been compared with the original on file
in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Sept. 16. 1842

William Johnston
Sur. Genl.